# AARONIASHIELD®TF\_\_\_\_\_\_RF SHIELDING FOIL 32dB

Optical transparent EMI shielding made from a patented high-tech shielding-foil



## **Specifications**

#### **Aaronia SHIELD® TF**

| length per unit   | <b>0.93 m:</b> 1.1 m, 11 m, 28 m (1 m², 10 m², 25 m²)   |  |  |  |  |
|---|---|--|--|--|--|
| lane width  | <b>1.83 m:</b> 0.55 m, 5.5 m, 28 m (1 m², 10 m², 50 m²) |  |  |  |  |
|   | 0.91m and 1.83m   |  |  |  |  |
| Thickness   | 0.1mm   |  |  |  |  |
| color   | transparent   |  |  |  |  |
| optical transparency  | ÿ 75 VLT  |  |  |  |  |
| Weight  | approx. 130g/m2   |  |  |  |  |
| material  | conductive film   |  |  |  |  |
| Shielding Effectiveness   | ÿ 32dB (from 10MHz up to 26GHz)                         |  |  |  |  |
| Standards/compliance: ASTM D4935, IEEE Std 299 (previously MIL STD 285) |   |  |  |  |  |



#### Damping specifications for Aaronia SHIELD® TF shielding foil

| product               | Frequency       | Damping<br>(dB) | Damping<br>factor | Damping<br>(%) | application examples  |
|-----------------------|-----------------|-----------------|-------------------|----------------|---|
| Aaronia<br>Shield® TF | 10 MHz - 26 GHz | 32 dB           | >1000             | 99.93%         | Complete building envelope, Private homes,<br>government buildings, server rooms,<br>Air traffic control towers |

Notice: when using the dB unit, an increase of 10 dB is equivalent to a 10fold increase in strength. For example, 100 dB is 10 times as strong as 90 dB, or 100 times as strong as 80 dB, etc.

## **Description**

#### Transparent shielding for glazing

With more data being transmitted and shared electronically, protection from electronic eavesdropping becomes crucial. This is especially true for government organizations, businesses, architects and building owners looking for ways to design secure buildings.

Aaronia AG provides architectural shielding solutions against microwave and radio frequency radiation for ex isting and new buildings buildings worldwide. Aaronia SHIELD® TF conductive films are specifically designed to reduce the transmission of electromagnetic radiation, also known as EMI Shielding.

Architectural shielding materials are used to reduce the expo sure of building occupants to electromagnetic radiation ema nating from nearby sources of microwave and radio frequency radiation, to protect sensitive electronic equipment from interference, and to prevent data theft/hacking. Sources of electrical and magnetic energy include cell towers (4G, 5G, 6G) and many other electronic devices, including WLAN.



#### **Key features**

- Highest quality shielding product
   Optical transparency ÿ75 VLT
   Shielding Effectiveness (SE) of ÿ32 dB
   (frequency range from 10 MHz up to 26 GHz)
- Effective protection against electrosmog
   Application: retrofit or interlayer for laminated glazing

#### **Example applications**

• Private homes •

Government buildings • Server rooms • Air traffic control towers • Military •

Network operation centers • Ships windows • Shielded cabinets



### REFERENCES

#### **Selected Aaronia Clients**



#### Government, Military, Aeronautic, Astronautic

- NATO, Belgium
- Department of Defense (DoD), USA
- Department of Defense, Australia •

Airbus, Germany • Boeing, USA •

German Armed Forces, Germany •

NASA, USA • Lockheed Martin, USA

• Lufthansa, Germany • German

Aerospace Center (DLR), Germany •

Eurocontrol, Belgium • EADS,

Germany • Drug Enforcement Administration (DEA), USA • Federal Bureau of Investigation (FBI), USA • Federal Criminal Police Office (BKA), Germany • Federal Police, Germany • Ministry of Defence, Netherlands

#### Research/Development, Science and Universities

- MIT Physics Department, USA
- California State University,

USA • Indonesian Institute of Sience (LIPI). Indonesia • Los Alamos National Laboratory (LANL), USA • University of Bahrain, Bahrain • University of Florida, USA • University of Victoria, Canada • University of Newcastle, United Kingdom • University of Durham, United Kingdom • University Strasbourg, France • University of Sydney, Australia • University of Athen, Greece • University of Munich, Germany

- Technical University of Hamburg. Germany Max-Planck Inst. for Radio Astronomy, Germany
- Max-Planck Inst. for Nuclear Physics, Germany
- Research Center Karlsruhe, Germany

#### Industry

- IBM, Switzerland
- Intel, Germany •

Shell Oil Company, USA

• ATI, USA • Microsoft,

USA • Motorola, Brazil •

Audi, Germany • BMW,

Germany • Daimler,

Germany • Volkswagen,

Germany • BASF,

Germany • Siemens AG,

Germany • Rohde &

Schwarz, Germany •

Infineon, Austria • Philips,

Germany • ThyssenKrupp,

Germany • EnBW (Energie

Baden-Württemberg),

Germany • CNN, USA • Duracell, USA • German Telekom, Germany • Bank of Canada, Canada •

NBC News, USA • Sony, Germany • Anritsu,

Germany • Hewlett-Packard, Germany • Bosch,

Germany • Mercedes-Benz, Austria • Osram,

Germany • DEKRA, Germany • AMD, Germany •

Kevsight. China • Infineon Technologies.

Germany • Philips Semiconductors, Germany •

Hyundai Europe, Germany • VIAVI, Korea •

Wilkinson Sword, Germany • IBM Deutschland,

Germany • Nokia-Siemens Networks, Germany

